



## TECHNOLOGY 236 HD 230V ACX+ALU C.CASE



### Overview

#### TECHNOLOGY 236 HD 230V ACX+ALU C.CASE

cod. 816207

MMA and TIG inverter electrode welding machine, in direct current (DC) with scratch striking. Use with a wide range of electrodes: rutile, basic, stainless steel, cast iron, etc. Characteristics: compact and light \* high welding current stability in spite of mains voltage fluctuations \* regulation of arc force and hot start according to the type of electrode in use \* anti-stick device \* thermostatic, overvoltage, undervoltage, overcurrent, motorgenerator (+/- 15%) protections. Complete with MMA welding accessories and aluminium carry case.



MMA TIG DC SCRATCH



CE MARKING



TÜV CERTIFICATION



1 PH 230V



EAC CERTIFICATION

### Technical data

CODE 816207	MAX ABSORBED CURRENT 42 A	D. USABLE ELECTRODES IN DC 1,6 - 4 mm
SINGLE PHASE MAINS VOLTAGE 230 V	ABSORBED CURRENT AT 60% - MAX 24 A	PROTECTION DEGREE IP23
MAINS FREQUENCY 50 / 60 Hz	MAX ABSORBED POWER 6,6 kW	DIMENSIONS 35,5 - 46,5 - 18,5 cm
CURRENT RANGE 5 - 200 A	ABSORBED POWER AT 60% 4,2 kW	WEIGHT 9,8 kg
MAX CURRENT 200 A - 35 %	MOTORGENERATOR MINIMUM POWER 10 kW	EAN CODE 800489781005 8



## TECHNOLOGY 236 HD 230V ACX+ALU C.CASE



CURRENT AT 60% 140 A



EFFICIENCY 84 %



PIECES/PALLET 30 pz/pallet



MAX NO LOAD VOLTAGE 81 V



POWER FACTOR (cosphi) 0,8

### Included Accessories

ALUMINIUM CARRY CASE - 733510



DALLAS 300 ELECTRODE HOLDER 300A - 712260

CABLE 25 MMQ 2 M DINSE 25 - 124465



TOLEDO 300 WORK CLAMP - 712231

CABLE 25 MMQ 3 M DINSE DX 25 - 124466